ELSEVIER

Thin Solid Films 278 (1996) 167

thin solid films

Author Index of Volume 278

Aimé, J.P., 155
Ando, Y., 144
Armini, A.J., 87

Bai, X., 67
Barrière, A.S., 155
Belevsky, V.P., 57
Bertamini, L., 96
Bhushan, B., 49
Bisaro, R., 22
Bläsing, J., 32
Bodnar, S., 114
Boucaud, P., 114
Bouhacina, T., 155
Bouix, J., 22
Bunker, S.N., 87

Cao, J.Y., 1
Cauwet, F., 22
Chapljuk, V.I., 57
Chen, X.Q., 1
Christen, J., 32
Chu, J.H., 1

Djessas, K., 82
Durupt, P., 22

Eftekhari, G., 150
Ermolieff, A., 140

Fan, Y., 67
Ferro, G., 22
Finkman, E., 114

Grandjean, N., 155
Guedj, C., 114
Guégan, H., 155
Guenoun, K., 82
Gusev, I.V., 57

Hioki, T., 18
Hiroike, T., 144
Homma, T., 28
Horie, M., 74

Jaglarz, J., 124
Julien, F.H., 114
Jung, H.J., 45

Kim, K.H., 45
Koh, S.K., 45
Konyashin, I.Yu., 37
Kulkarni, A.V., 49
Kuwano, H., 61

Lee, J.Y., 45
Leoni, M., 96
Li, B., 1
Löhmann, M., 32

Manory, R.R., 87
Massé, G., 82
Massies, J., 155
Miyashita, T., 144
Miyazaki, T., 144
Monteil, Y., 22
Motohiro, T., 18

Nakano, S., 61
Neerinck, D.G., 12
Noda, S., 18
Nowak, M., 124
Noya, A., 6

Oelhafen, P., 118
Ohno, T., 74
Ohta, A., 6
Olivier, J., 22

Pac, C., 108
Pescher, C., 140
Pierre, J., 140

Regolini, J.L., 114
Roy, M.S., 129

Sahagian, R., 87
Sandogaker, S.G., 129
Sasaki, K., 6
Sase, T., 6

Satoh, T., 18
Scardi, P., 96
Sermon, P.A., 135
Sernelius, B.E., 104
Sharma, G.D., 129
Smith, A., 82
Sugimoto, I., 61
Sun, Y., 135

Taguchi, M., 6
Takeda, Y., 18
Takeyama, M., 6
Tang, D.Y., 1

Vannuffel, C., 140
Vincent, H., 22
Vink, T.J., 12
Vong, M.S.W., 135

Wang, B., 67
Wang, S., 67

Xie, X., 118

Yonehara, H., 108
Yoon, Y.S., 45

Zacharias, M., 32
Zhu, J.Q., 1

Elsevier Science S.A.

ELSEVIER

Thin Solid Films 278 (1996) 168–170

thin solid films

Subject Index of Volume 278

Alloys
formation of Ge nanocrystals in amorphous GeO_x and $SiGeO_x$ alloy films, 32
Amorphous materials
determination of optical constants and average thickness of thin films on thick substrates using angular distribution of intensity of reflected radiation, 124
Annealing
formation of Ge nanocrystals in amorphous GeO_x and $SiGeO_x$ alloy films, 32
the influence of rapid thermal annealing and sulfur passivation on the electrical characteristics of anodically grown InSb MOS structures, 150
Anodic oxidation
the influence of rapid thermal annealing and sulfur passivation on the electrical characteristics of anodically grown InSb MOS structures, 150
Atomic force microscopy
effect of normal load on microscale friction measurements, 49
Rutherford backscattering spectrometry, particle induced X-ray emission and atomic force microscopy of InAs thin films grown on GaAs: a complementary study, 155

Carbides
thin TiC_x films chemically vapour deposited onto cemented carbides from the $TiCl_4$–CCl_4–H_2 mixture, 37
Chalcogenide
growth of $CuInSe_2$, $Cu(In,Ga)Se_2$ and $CuIn(Se,S)_2$ films on SnO_2 thin film substrates, 82
Chemical vapour deposition (CVD)
infrared kinetic study of ultrathin SiC buffer layers grown on Si(100) by reactive chemical vapour deposition, 22
thin TiC_x films chemically vapour deposited onto cemented carbides from the $TiCl_4$–CCl_4–H_2 mixture, 37
growth of $CuInSe_2$, $Cu(In,Ga)Se_2$ and $CuIn(Se,S)_2$ films on SnO_2 thin film substrates, 82
growth of $Si_{1-x-y}Ge_xC_y$ multi-quantum wells: structural and optical properties, 114
Coatings
thin TiC_x films chemically vapour deposited onto cemented carbides from the $TiCl_4$–CCl_4–H_2 mixture, 37
residual stresses in plasma sprayed partially stabilised zirconia TBCs: influence of the deposition temperature, 96
Contacts
preparation of Ta_2Al intermetallic compound films and their application as diffusion barriers to Cu penetration, 6
fabrication of ZnTe–Au composite microcrystallites utilizing island growth during thin film deposition, 18
Copper
preparation of Ta_2Al intermetallic compound films and their application as diffusion barriers to Cu penetration, 6
room-temperature growth of Cu thin films by nozzle-type partially ionized beam deposition with various acceleration voltages, 45
Corrosion
instability of Si–F bonds in fluorinated silicon oxide (SiOF) films formed by various techniques, 28

Deposition process
room-temperature growth of Cu thin films by nozzle-type partially ionized beam deposition with various acceleration voltages, 45
Depth profiling
depth profiling of thin ITO films by grazing incidence X-ray diffraction, 12
Diamond
ion beam assisted film growth by high dose implantation of carbon into a liquid medium, 87
Dielectric properties
instability of Si–F bonds in fluorinated silicon oxide (SiOF) films formed by various techniques, 28
durability of dielectric protective layers against repetitious thermal stress in phase-change optical recording, 74
Diffusion
preparation of Ta_2Al intermetallic compound films and their application as diffusion barriers to Cu penetration, 6

Elastic properties
depth profiling of thin ITO films by grazing incidence X-ray diffraction, 12
Electrical properties
electrical and photoelectrical properties of poly(phenyl azomethine furane) thin films devices, 129
Electron spin resonance (ESR)
magnetic properties of stearate films with 3d transition metal ions fabricated by the Langmuir–Blodgett method, 144
Ethanoic acid
design of reflective tantala optical coatings using sol–gel chemistry with ethanoic acid catalyst and chelator, 135

Fluorine
instability of Si–F bonds in fluorinated silicon oxide (SiOF) films formed by various techniques, 28
Fourier transform infrared spectroscopy (FTIR)
electronic structure of plasma polymers of quinoline, 118

Germanium
formation of Ge nanocrystals in amorphous GeO_x and $SiGeO_x$ alloy films, 32
Growth mechanism
formation of titanium silicides by titanium deposition onto silicon with simultaneous self-ion bombardment, 57

Heterostructures
growth of $Si_{1-x-y}Ge_xC_y$ multi-quantum wells: structural and optical properties, 114

Elsevier Science S.A.

Indium antimonide
the influence of rapid thermal annealing and sulfur passivation on the electrical characteristics of anodically grown InSb MOS structures, 150
Indium arsenide
Rutherford backscattering spectrometry, particle induced X-ray emission and atomic force microscopy of InAs thin films grown on GaAs: a complementary study, 155
Indium oxide
depth profiling of thin ITO films by grazing incidence X-ray diffraction, 12
excitation-induced optical switching in transparent coatings, 104
Infrared spectroscopy
growth and characterization of liquid-phase epitaxial $Hg_{1-x}Cd_xTe$ films, 1
Insulators
photoelectrical properties of double-layer organic solar cells using C_{60} and phthalocyanines, 108
Interfaces
room-temperature growth of Cu thin films by nozzle-type partially ionized beam deposition with various acceleration voltages, 45
Ion bombardment
formation of titanium silicides by titanium deposition onto silicon with simultaneous self-ion bombardment, 57
Ion implantation
ion beam assisted film growth by high dose implantation of carbon into a liquid medium, 87
IR spectrometry
infrared kinetic study of ultrathin SiC buffer layers grown on Si(100) by reactive chemical vapour deposition, 22

Langmuir-Blodgett films (LB films)
magnetic properties of stearate films with 3d transition metal ions fabricated by the Langmuir–Blodgett method, 144
Liquid metal
ion beam assisted film growth by high dose implantation of carbon into a liquid medium, 87
Liquid phase epitaxy
growth and characterization of liquid-phase epitaxial $Hg_{1-x}Cd_xTe$ films, 1

Magnetic properties and measurements
magnetic properties of gadolinium silicide thin films produced by different fabrication processes, 140
magnetic properties of stearate films with 3d transition metal ions fabricated by the Langmuir–Blodgett method, 144
Magnetic structures
magnetic properties of gadolinium silicide thin films produced by different fabrication processes, 140
Mercury cadmium telluride
growth and characterization of liquid-phase epitaxial $Hg_{1-x}Cd_xTe$ films, 1
Metallization
preparation of Ta_2Al intermetallic compound films and their application as diffusion barriers to Cu penetration, 6
room-temperature growth of Cu thin films by nozzle-type partially ionized beam deposition with various acceleration voltages, 45
Metal-oxide semiconductor structure
the influence of rapid thermal annealing and sulfur passivation on the electrical characteristics of anodically grown InSb MOS structures, 150
Metals
fabrication of ZnTe–Au composite microcrystallites utilizing island growth during thin film deposition, 18
preparation of TiN film on brass by CAPD as a decoration system, 67
Multilayers
magnetic properties of stearate films with 3d transition metal ions fabricated by the Langmuir–Blodgett method, 144

Nanostructures
formation of Ge nanocrystals in amorphous GeO_x and $SiGeO_x$ alloy films, 32
effect of normal load on microscale friction measurements, 49

Ohmic conduction
electrical and photoelectrical properties of poly(phenyl azomethine furane) thin films devices, 129
Optical coatings
excitation-induced optical switching in transparent coatings, 104
design of reflective tantala optical coatings using sol–gel chemistry with ethanoic acid catalyst and chelator, 135
Optical properties
fabrication of ZnTe–Au composite microcrystallites utilizing island growth during thin film deposition, 18
growth of $Si_{1-z-y}Ge_zC_y$ multi-quantum wells: structural and optical properties, 114
determination of optical constants and average thickness of thin films on thick substrates using angular distribution of intensity of reflected radiation, 124
Optical recording
durability of dielectric protective layers against repetitious thermal stress in phase-change optical recording, 74
Oxides
photoelectrical properties of double-layer organic solar cells using C_{60} and phthalocyanines, 108

Photoelectrical properties
electrical and photoelectrical properties of poly(phenyl azomethine furane) thin films devices, 129
Photovoltaic material
growth of $CuInSe_2$, $Cu(In,Ga)Se_2$ and $CuIn(Se,S)_2$ films on SnO_2 thin film substrates, 82
Physical vapour deposition
photoelectrical properties of double-layer organic solar cells using C_{60} and phthalocyanines, 108
Plasma processing and deposition
effects of heavy plasma atoms on spin centers in reactively sputtered SiN films, 61
preparation of TiN film on brass by CAPD as a decoration system, 67
residual stresses in plasma sprayed partially stabilised zirconia TBCs: influence of the deposition temperature, 96
electronic structure of plasma polymers of quinoline, 118
Polymers
electronic structure of plasma polymers of quinoline, 118
electrical and photoelectrical properties of poly(phenyl azomethine furane) thin films devices, 129
Protective films
durability of dielectric protective layers against repetitious thermal stress in phase-change optical recording, 74
Pyrosol method
growth of $CuInSe_2$, $Cu(In,Ga)Se_2$ and $CuIn(Se,S)_2$ films on SnO_2 thin film substrates, 82

Reflection spectroscopy
determination of optical constants and average thickness of thin films on thick substrates using angular distribution of intensity of reflected radiation, 124
Rutherford backscattering spectroscopy
Rutherford backscattering spectrometry, particle induced X-ray emission and atomic force microscopy of InAs thin films grown on GaAs: a complementary study, 155

Schottky barrier
electrical and photoelectrical properties of poly(phenyl azomethine furane) thin films devices, 129
Semiconductors
fabrication of ZnTe–Au composite microcrystallites utilizing island growth during thin film deposition, 18
determination of optical constants and average thickness of thin films on thick substrates using angular distribution of intensity of reflected radiation, 124
Silicides
preparation of Ta_2Al intermetallic compound films and their application as diffusion barriers to Cu penetration, 6
formation of titanium silicides by titanium deposition onto silicon with simultaneous self-ion bombardment, 57
magnetic properties of gadolinium silicide thin films produced by different fabrication processes, 140
Silicon
effects of heavy plasma atoms on spin centers in reactively sputtered SiN films, 61
Silicon carbide
infrared kinetic study of ultrathin SiC buffer layers grown on Si(100) by reactive chemical vapour deposition, 22
ion beam assisted film growth by high dose implantation of carbon into a liquid medium, 87
Silicon oxide
instability of Si–F bonds in fluorinated silicon oxide (SiOF) films formed by various techniques, 28
Solar cells
photoelectrical properties of double-layer organic solar cells using C_{60} and phthalocyanines, 108
Sol–gel chemistry
design of reflective tantala optical coatings using sol–gel chemistry with ethanoic acid catalyst and chelator, 135
Sputtering
effects of heavy plasma atoms on spin centers in reactively sputtered SiN films, 61
Stress
residual stresses in plasma sprayed partially stabilised zirconia TBCs: influence of the deposition temperature, 96
Structural properties
effects of heavy plasma atoms on spin centers in reactively sputtered SiN films, 61
growth of $Si_{1-x-y}Ge_xC_y$ multi-quantum wells: structural and optical properties, 114

Tantalum
design of reflective tantala optical coatings using sol–gel chemistry with ethanoic acid catalyst and chelator, 135
Thermal stress
durability of dielectric protective layers against repetitious thermal stress in phase-change optical recording, 74
Tin oxide
depth profiling of thin ITO films by grazing incidence X-ray diffraction, 12
Titanium
formation of titanium silicides by titanium deposition onto silicon with simultaneous self-ion bombardment, 57
Titanium carbide
thin TiC_x films chemically vapour deposited onto cemented carbides from the $TiCl_4$–CCl_4–H_2 mixture, 37
Titanium nitride
preparation of TiN film on brass by CAPD as a decoration system, 67
Tribology
effect of normal load on microscale friction measurements, 49

X-ray diffraction
growth and characterization of liquid-phase epitaxial $Hg_{1-x}Cd_xTe$ films, 1
depth profiling of thin ITO films by grazing incidence X-ray diffraction, 12
X-ray emission
Rutherford backscattering spectrometry, particle induced X-ray emission and atomic force microscopy of InAs thin films grown on GaAs: a complementary study, 155
X-ray photoelectron spectroscopy (XPS)
electronic structure of plasma polymers of quinoline, 118

Zirconium oxide
residual stresses in plasma sprayed partially stabilised zirconia TBCs: influence of the deposition temperature, 96